



*Passione
Italiana*

ACTIVE

MADE IN ITALY

**ACCESSORIES CATALOGUE
2024-2025**





Professional accessories



Heads

4

Nylon head comparison table

12



Platino Line

16

Lubricants and fixatives

22



Harnesses & PPE

24

Professional discs and brushes

26



Spark plugs and rev counters

28

Tracks

29



Tying line

30



Advertising material

32



Clothing

34



All items are excluding VAT

Active nylon heads

130 *new*

The **fastest** insertion system in the category

120 rapido

First-ever head with insertion **without a line feed tube**

120

Smallest and lightest in the range

150 PRO

Largest head in the category



NEW *nylon* *head* **130**



Ultra rapid
line insertion
system

Sturdy spool
with knob in
wear-resistant steel

Extra thick cover for
greater **strength**

Spring designed
for optimal
distribution
of force

Bushings
firmly secured
to the head body




Spool
in special
nylon



Frame the QrCode to view
the video presentation of the
new 130 head



Heads 130 *new*



- 1 Align the arrow with the bushing and insert
- 2 Balance the length
- 3 Press and rotate the knob to wind the line

Patented reload system

The **ACTIVE "tap and go"** heads, with a single tap to the ground when the machine is working, enable the line to exit automatically.

Examples *line capacity*

Size (mm)	Line cross-sec.	Capacity (m)
2.4	round	12.0
2.7	round	9.0
3.0	round	7.8
3.3	round	6.8
3.5	round	5.5
4.0	round	3.5
3.0	square	5.2
3.5	square	4.5
3.3	saw trimmer	3.0



Technical features

- AB** Seats for fixing the head to the brushcutter
- C** Line feed bushings in wear-resistant, pre-cast aluminium
- D** Line feed insert allowing line loading without the aid of other tools
- E** Cover with clips for rapid opening
- F** High-capacity line spool
- G** Calibrated spring to avoid accidental or unintentional unwinding of the line

Pack of 20 pcs

Code	Model	Price
027100	8 x 1.25 SM	€ 556.47
027101	8 x 1.25 SF	€ 556.47
027102	10 x 1 SF	€ 556.47
027103	10 x 1.25 SF	€ 556.47
027104	UNIVERSAL	€ 556.47
027105	NO INSERT	€ 512.56


130 Spare partes

Code	Description	Price
025500	Body for universal insert (A)	€ 7.60
025501	Body for head with insert (B)	€ 7.60
025502	Line feed bushing (C)	€ 4.00
025503	Internal line feed insert (D)	€ 1.80
025506	Cover (E)	€ 4.50
027068	Spool (F)	€ 18.00
021008	Spring (G)	€ 2.03
021548	Adapter for bevel gears with long shaft (I)	



Heads 150 PRO

Long cutting range mulching effect



Patented reload system

The **ACTIVE "tap and go"** heads, with a single tap to the ground when the machine is working, enable the line to exit automatically.


Examples

line capacity

Size (mm)	Line cross-sec.	Capacity (m)
2.4	round	16.5
3.0	round	10.0

Two cutting levels

Shredded grass mulching effect



- 1 Align the arrow with the bushing. Insert the line through the red tube
- 2 Pull out the red tube and equal out the line length
- 3 Press and rotate the knob to wind the line




ACTIVE brushcutters support heads with pitch 10x1.25 SX F. Models 2.4 L-B, 2.8 L-B support heads with pitch 8x1.25 LH F.

Single pack


Code	Model	Price
022200	M7 x 1 LH - M	€ 31.09
022201	M8 x 1.25 LH - M	€ 31.09
022202	M8 x 1.25 LH - F	€ 31.09
022203	M10 x 1 LH - F	€ 31.09
022204	M10 x 1.25 LH - M	€ 31.09
022205	M10 x 1.25 LH - F	€ 31.09
022206	M10 x 1.5 LH - M	€ 31.09
022207	M10 x 1.5 LH - F	€ 31.09
022224	M12 x 1.25 LH - F	€ 31.09
022209	M12 x 1.5 LH - F	€ 31.09
022210	M12 x 1.75 LH - F	€ 31.09
022416	M14 x 1.5 LH - F	€ 31.09
022212	Universal	€ 31.09
022213	Without Insert	€ 28.35

150 PRO spare parts

Code	Description	Price
022197	Cover (A)	€ 5.30
021537	Knob (B)	€ 9.92
021538	Spool (C)	€ 5.95
020362	Spring (D)	€ 2.68
022199	Body for insert (E)	€ 8.50
022198	Body for universal insert (E)	€ 8.50
020358	Large aluminium bushing (F)	€ 1.42
020357	Small aluminium bushing (G)	€ 1.42
020363	Line feed tube (H)	€ 0.56
021548	Adaptor for bevel gears with long shaft (I)	€ 2.18



Heads 120



Heads 120 rapido



- 1 Align the arrow with the bushing. Insert the line through the red tube
- 2 Pull out the red tube and equal out the line length
- 3 Press and rotate the knob to wind the line
- * Easy insertion without the aid of the red tube

Patented reload system

The **ACTIVE "tap and go"** heads, with a single tap to the ground when the machine is working, enable the line to exit automatically.

Examples *line capacity*

Size (mm)	Line cross-sec.	Capacity (m)
2.4	round	10.0
3.0	round	7.0

Plastic knob



Steel knob



Pack of 20 pcs

Pack of 20 pcs

120

Code	Model	Price
023115	M8 x 1.25 LH - M	€ 342.97
023116	M8 x 1.25 LH - F	€ 342.97
023117	M10 x 1.0 LH - F	€ 342.97
023119	M10 x 1.25 LH - F	€ 342.97
023120	M10 x 1.5 LH - M	€ 342.97
023121	M10 x 1.5 LH - F	€ 342.97
023122	M12 x 1.25 LH - F	€ 342.97
023125	M14 x 1.5 LH - F	€ 342.97
023126	Universal	€ 342.97
023127	Without Insert	€ 299.06


Code	Model	Price
023129	M8 x 1.25 LH - M	€ 449.06
023130	M8 x 1.25 LH - F	€ 449.06
023131	M10 x 1.0 LH - F	€ 449.06
023133	M10 x 1.25 LH - F	€ 449.06
023134	M10 x 1.5 LH - M	€ 449.06
023135	M10 x 1.5 LH - F	€ 449.06
023139	M14 x 1.5 LH - F	€ 449.06
023140	Universal	€ 449.06
023141	Without Insert	€ 405.16

rapido

Code	Model	Price
023142	M8 x 1.25 LH - F	€ 392.36
023143	M10 x 1.25 LH - F	€ 392.36
023144	Universal	€ 392.36
023145	Without Insert	€ 349.37

Code	Model	Price
023146	M8 x 1.25 LH - F	€ 497.53
023147	M10 x 1.25 LH - F	€ 497.53
023148	Universal	€ 497.53
023149	Without Insert	€ 454.55

120 spare parts



Model	120	Price	120 rapido	Price
Cover (A)	021004	€ 4.02	021004	€ 4.02
Spool steel knob (B)	021995	€ 12.18	025389	€ 12.18
Spool nylon knob (C)	021005	€ 4.49	025388	€ 4.49
Spring (D)	021008	€ 2.03	021008	€ 2.03
Body for insert (E)	021003	€ 6.24	022579	€ 6.80
Body for universal insert (E)	021007	€ 6.24	022580	€ 6.80
Brass bushing (F)	021002	€ 1.00	021002	€ 1.00
Oversize bushing for saw trimmer line (F)	021241	€ 1.00	021241	€ 1.00
Line feed (H)	020363	€ 0.56	022578	€ 1.47
Adaptor for bevel gears with long shaft (I)	021548	€ 2.18	021548	€ 2.18

Head comparison

	Make and model	Connection size	
A	ALKO		
	LT250C	M8 x 1.25 LH - M	
	106389,106144, 106436, 106145	M8 x1.25 LH - F	
	MS400, 106146	M10 x 1.25 LH - F	
	ARIMITSU		
	ACC15, ACC17, ACD18, ACE30 ACACZEK, AMI6D, AM24, AM24D AM31, AM40, AM50	M8 x 1.25 LH - M	
	ALPINA CASTOR		
	170- 180 - 200	M8 x 1.25 LH - M	
	21-25-30-34D-34F-42-52-52D- 52F-42D-42F	M8 x 1.25 LH - F	
	210	M10 x 1.25 LH - F	
B	BLACK & DECKER		
	TRIMMER 17 cc	M8 x 1.25 RH - F	
	BLUE BIRD		
	M10 x 1 LH - F		
C	CIFARELLI		
		M10 x 1.25 LH - F	
D	DOLMAR		
	BC250, LT250, BC400, SD330, PRO370, PRO400	M10 x 1.25 LH - M	
	BC337, BC377, NB26, NB03, NB04, NB411, NB351	M10 x 1 LH - F	
	BC225, LT225, MS220, MS2300, MS2600, MS3100, LT154, NB, NB01F, NB02, NB16F, NB211, NBF171, NB31	M8 x1.25 LH - F	
	MS340, BC210, BC212	M10 x 1.25 LH - F	
	MS3300, MS4000, MS4500	M12 x 1.50 LH - F	
	NB231A, NB231AU, NB23F, NB171	M8 x 1.25 RH - F	
	LT210	M10 x 1.25 RH - F	
	E	ECHO	
		SRM2300L, 2300U, SRM2090L, SRM250EL, 2090U	M10 x 1.25 LH - F
ST1160AE		M10 x 1.25 RH - F	
CLS4600, CLS5800, CLS5810		M12 x 1.75 LH - F	
OTHER MODELS		M10 x 1.25 LH - F	
EFCO			
		M8 x 1.25 LH - M	



	Make and model	Connection size
G	GREEN MACHINE	
	1200,1500,1600,1700, 1900, 2000, 2100, 2200, 2331, 2340, 2500, 3000, 3451, 4000, 4500	M8 x 1.25 LH - M
H	HOMELITE	
	ST100, ST120, ST160, ST180, ST200, ST210, ST360, ST385, ST80, SXD20, TK518, BCH2D, BCH24, BCH32C, BCH33	M8 x 1.25 LH - M
	TM523	M7 x 1 LH - M
	ST485, BCH32C, BCH32CDI, BCH33, BCH33DI, BCH33TO, BCH33B, BCH40, BCH48, HBC30, HBC30B, PLT3400, PBC3600, PBC3600B, HK18, HK24, HK33, HK38	M8 x 1.25 LH - F
	BCH38, BCH40, BCH48, PBC3800, PBC4000	M10 x 1.25 LH - F
	NBA524, PMB522, TXD508	M10 x 1.25 LH - M
	BCH20, BCH24	M8 x 1 LH - F
	HONDA	
	UH41, SXD-25HE	M8 x 1.25 LH - M
	UMK422LTE/UT4E/LT4E	M10 x 1.25 LH - F
I	HUSQVARNA	
	24R (BEFORE 1987)	M7 x 1 LH - M
	16R,25 (BEFORE 1987)	M8 x 1.25 LH - M
	OTHER MODELS	M12 x 1.75 LH - F
	MODELLI RECENTI	M10 x 1.25 LH - F
	IKRA	
	BT1045	M8 x 1.25 LH - M
	ISEKI/SHINDAIWA	
	DYB251, DYB252, DYB254, DYB261, DYB262, DYB321, BYB322	M8 x 1.25 LH - M
	IAX180, 190, 250, 350, 400, 500	M8 x 1.25 LH - F
DYB351, DYB453, DYB354, DYB454	M10 x 1.25 LH - F	
DYB201, DYB202, DYB231, DYB232	M7 x 1 LH - M	
IC12, IC15, IC16, IC17, IC18, ICD13, K16, K17, K18	M9 x 1.25 LH - F	
DYB190, DYB191	M3/8" x 24" RH - M	
J	JONSERED	
	GR32L, GR32LCAT, BP40COMBI, GR26D, GR26L	M10 x 1.25 LH - F
	GR26COMBI, GT24L, GT22L, GT21L, BR400, BR450	M10 x 1.25 LH - F
	LR300, LR200, LR220, LR260	M8 x 1.25 LH - M
	RS38	M10 x 1 LH - F
	RS44, GR44, GR41	M10 x 1.25 LH - F

	Make and model	Connection size
K	JONSERED	
	RS51PRO, RS40, RS45, RS30, GR50, GR41, GR36CAT, GR32D, GR32DCAT, GR36	M12 x 1.75 LH - F
	G25RD	M8 x 1.25 LH - F
	KAAZ-IDEAL	
	V20-S20	M7 x 1 LH - M
	JQ, JQ40, JQ50, VRX540, JQG4K, JQT200, KQ30, T170, T240, 410, J400GX, V25, V35, V40, VX360, K40D, K408D-S25, SX230, SX260	M8 x 1.25 LH - F
	OTHER MODELS	M10 x 1.25 LH - F
	KOMATSU ZENOAH	
	BC254A, BC260DUM, BC260DM, BC340DWM, BC340FW, BC431DWM, BK345FL, BK435FL, BK530DL, BC341DWH, BC432FWM, BK346FL, BK245FLK, BK436FL, BCD20, BCF01	M8 x 1.25 LH - M
	BC431FWM, BC531DWM, BC532DWM, BK531DL, FBC22, FBC26	M10 x 1.25 LH - M
BC220DL, BC221DL, BC17, BC23, BC32	M7 x 1 LH - M	
BC2300DC	M10 x 1 LH - F	
G25RD	M8 x 1 LH - F	
M	MC CULLOCH	
	MAC22, 23, 30, SUPERMAC30AV, MS33, DELTA, MS40, BP30AV, TD2400, TD3300, TD4000	M8 x 1.25 LH - M
	MAC85A, MAC90A, MAC95A, SMAC30AV, SMAC38AV	M10 x 1.25 LH - F
	MAC60A, MAC80A	M10 x 1.25 LH - M
	TD2100, MAC32, MAC37	M10 x 1.25 RH - F
	SUPERMAC26, MAC30A, 30AV, PRATER30, MS52, EUROPA92/35A, EUROPA, MS24, MS52, PROMAC38AV, BP38AV, WINDSORKIT26, VERSAILLES38, BP26AV, BP35AV	M10 x 1.50 LH - M
	MAKITA	
	RBC230, RBC260, RBC310, RBC410, RBK410	M8 x 1.25 LH - M
	DBC3300, DBC4000, DBC4000C	M12 x 1.50 LH - F
	MARUNAKA	
T240DX/F53L, T240DX/F53, BC480DX, G13K, G3, G5, G8K	M10 x 1.25 LH - M	

N

Make and model	Connection size
MARUNAKA	
TM33DX/F43L, TM33DX/F43, T200DX/F43L, T200DX/F43, TM33JX/F404L, T200JX/F404L, BC330DX, BC400DX, BK404FX	M10 x 1.50 LH - F
TM21DX/F3L, TM24DX/F3L, BC181DX, DBC200DX, BC240DX, BC180DX	M8 x 1.25 LH - F
BT181DX	M8 x 1.25 RH - F
MARUYAMA	
BC331BK, BC402, BC480, BC184C, BC184, BC241, BC230, BC330, BC326, BC220DE	M8 x 1.25 LH - M
32, 35	M10 x 1.25 LH - M
23	M10 x 1.50 LH - F
BC260/BC260H, MC260/M260S, BC200C	M10 x 1.25 LH - F
NIKKARI	
SDX20, RK521, TDK518	M8 x 1.25 LH - M
PNB522, TXD50B, NBA524, SXD40, FK514	M8 x 1.25 LH - M
OLEO-MAC	
440, 433BP, 200, 220, 260, 300, 400,310, 410, 8420, 85100, TR60E, TR100E, 720, 722S, 726S, 726T, 727D, 727C, 727S, 727T, 733S, 733T, 740S, 740T,433BP, 440BP, 750S, 750T	M8 x 1.25 LH - M
PARTNER	
B400	M10 x 1 LH - F
200, 205, B250C, B250V (before 1987), 203, B323, B325	M10 x 1.25 LH - F
B370, B380, B180, B440, B450, B405, B250C, B250U	M12 x 1.75 LH - F
T221, T321, B322	M8 x 1 LH - F
POULAN	
150, 200, 2620, 800, 900	M10 x 1.50 LH - F
RED MAX	
BC260CL, BL340DL	M8 x 1.25 LH - M
BC430DWM, BC440DWM	M10 x 1.25 LH - M
BC220DL, BC221DL	M7 x 1 LH - M
BT17, BT220	M8 x 1.25 RH - F
ROBIN	
NBR30, NBR40, NB351, NB30K	M8 x 1.25 LH - M
NB411L, NB50L, NB03, NB04	M10 x 1 LH - F

O

P

R

S

Make and model	Connection size
ROBIN	
NBA231, NB26, NB31, NB31AU, NB211, NBK411, NB351, NB231, NBT415, NB02, NB02, BH2500A	M8 x 1.25 LH - F
BH3500, BH3600	M10 x 1.25 LH - F
RYOBI	
RD180K, REK285BP	M8 x 1.25 LH - M
RD5224, RD5225, RSB2801, RSH1100	M10 x 1.25 LH - F
ED260	M10 x 1.50 LH - F
RD3318, RD1605, RD2414, RD3818	M8 x 1.25 LH - F
RD330, RD430, RD520	M12 x 1.75 LH - F
SHINDAIWA	
T250, C250, C27, T27, C23, C25, F20, R20, R25, T25, R35F, BP35	M8 x 1.25 LH - M
C35, B45, RC45, BP35, B40, RC35, B35	M10 x 1.25 LH - M
T230, T23E, C230, C20, LT18, LT20, T18, T20	M7 x 1 LH - M
F18	M3/8" x 24" RH - M
SHINGU	
S20, G1823E, G1823DE, G2523E, G2523DE	M8 x 1.25 LH - M
S100	M6 x 1 LH - M
200, 250, 350, S22PNC, S23PNC	M7 x 1 LH - M
M16	M6 x 1 DX - M
PK4036DD, PK4846DD	M10 x 1.50 LH - M
STHIL	
FS50, FS51, FS60, FS61, FS65, FS80, FS90, FS96	M8 x 1.25 LH - M
FS160, FS220, FS280, FS420, FS180, FS360, FS410, FS280K, FS08, FS150, FS20, FS200, FS353, AV420	M12 x 1.50 LH - F
FS52, FS44, FS56, FS66, FS86, FR106, FS74, FS74R, FE55, FS36, FS88, FR108, FS40, FS76, FS76R, FS106, FS108, FS48, FS52, FS62, FS81, FS96	M10 x 1 LH - F

T

Make and model	Connection size
SOLO	
123, 125	M10 x 1 LH - F
FS125, S200, S300	M8 x 1.25 LH - F
119, FS135, FS136, S100, S400	M10 x 1.25 LH - F
124, 126, 128, 134, 140, 137, 127, 130, 141	M12 x 1.50 LH - F
115, 118	M10 x 1.25 RH - F
MULTIMOT	M10 x 1.50 LH - F
TAS TANAKA	
TBC162, TBC202, TBC205, TBC215, AST7000	M8 x 1.25 LH - F
SUM3	M10 x 1.25 LH - F
TBC16, AST5000, TBC5000, TBC4000	M8 x 1.25 RH - F
OTHER MODELS	M8 x 1.25 LH - M

W

Make and model	Connection size
WEED EATER	
22, 599	M8 x 1.25 LH - M
PRO37	M10 x 1.25 LH - M
1000, 609, PRO195, XR100, XR105, XR125, XR200, XR90, XR95, YP140, YP160, YP200	M10 x 1.50 LH - F
YAMAHA	
YBC20D, YBC30D, YBC40D	M8 x 1.25 LH - M
YBC50D	M10 x 1.25 LH - M
ZENOAH	
BCF01, BCD20	M8 x 1.25 LH - M
FBC26	M10 x 1.25 LH - M

Y**Z**

Head spares

Description	Code	Price
Insert M7x1.0-M	020376	€ 2.96
Insert M8x1.25-M	020380	€ 2.96
Insert M8x1.25-F	020381	€ 2.96
Insert M10x1.0-F	020377	€ 2.96
Insert M10x1.25-M	020382	€ 2.96
Insert M10x1.25-F	020383	€ 2.96
Insert M10x1.5-M	020379	€ 2.96
Insert M10x1.5-F	020469	€ 2.96
Insert M12x1.25-F	020632	€ 2.96
Insert M12x1.5-F	020384	€ 2.96
Insert M12x1.75-F	020378	€ 2.96
Insert M14x1.5-F	020500	€ 2.96
Large aluminium bushing for 150 head	020358	€ 2.69
Small aluminium bushing for 150 head	020357	€ 2.69
Aluminium bushing for 130 head	025502	€ 3.17
Brass bushing ø 5.50 for 120 head	021002	€ 1.26
Brass bushing ø 6.50 for 120 head for line	021241	€ 1.26
Universal washer ø 10 for 120 head	021006	€ 1.09
Universal washer ø 12 for 120 head	021078	€ 1.09
Universal washer ø 10 for 150 head	020681	€ 1.28
Line feed tube	020363	€ 0.71
Spacer (25.4-20)	021076	€ 0.73

Platino Line

Line PLATINO®

Registered trademark since 2003



PLATINO®

Durable and resistant nylon line up to **180°**



PLATINO®

300°C
resistant

Durable and resistant nylon line up to **300°**



PLATINO®

ecosilent

Silent and low-consumption nylon line



Available in 4 formats



15 m



0.5 Kg



2 Kg



8 Kg

Wear test




Study results

Follow the wear test, the performance of **PLATINO** ACTIVE nylon line, 3.3 mm (E), was found to be far superior to that of other famous nylon brands (A, B, C, D)

Cumulative wear

10 s interval - 30 mm interference


For 3.3 mm lines, wear was generally less than that for 2.4 mm lines.



PLATINO® Registered trademark since 2003

Table of line conversion from kg to metres					
Cross-sec. Round		Cross-sec. Square		Cross-sec. Saw trimmer	
Ø mm	m/kg	Ø mm	m/kg	Ø mm	m/kg
1.3	680	2.4	175	2.7	134
1.6	470	2.7	135	3.3	97
2.0	270	3.0	112	4.0	60
2.4	200	3.3	90		
2.7	150	4.0	60		
3.0	134				
3.3	112				
3.5	92				
4.0	74				


ROUND cross-sec.
 from 1.3 to 4.0 mm


SQUARE cross-sec.
 from 2.4 to 4.0 mm


SAW cross-sec.
 from 2.7 to 4.0 mm


Possible deviation of actual values from table per m/kg. = +/- 5%

Packs of 20 pcs

	15 m		0.5 kg	
Thickness	Code	Price	Code	Price
1.3 mm	020957	€ 2.74 ⁽¹⁾	-	-
1.6 mm	-	-	020996	€ 13.12 ⁽¹⁾
2.0 mm	020702	€ 3.66 ⁽¹⁾	-	-
2.4 mm	023153	€ 72.25	023170	€ 290.84
2.7 mm	023154	€ 82.32	023171	€ 290.84
3.0 mm	023155	€ 93.29	023172	€ 290.84
3.3 mm	023156	€ 108.83	023173	€ 290.84
3.5 mm	023157	€ 115.24	023174	€ 290.84
4.0 mm	023158	€ 125.31	023175	€ 290.84

	15 m		0.5 kg	
Thickness	Code	Price	Code	Price
2.4 mm	023159	€ 88.72	023176	€ 290.84
2.7 mm	023160	€ 94.21	023177	€ 290.84
3.0 mm	023161	€ 102.43	023178	€ 290.84
3.3 mm	023162	€ 112.49	023179	€ 290.84
4.0 mm	023163	€ 146.34	023180	€ 290.84

⁽¹⁾ sold by the piece


	15 m		0.5 kg	
Thickness	Code	Price	Code	Price
2.7 mm	023164	€ 103.35	023181	€ 321.93
3.3 mm	023165	€ 122.93	023182	€ 321.93
4.0 mm	023166	€ 157.31	023183	€ 321.93





ACTIVE's technology and experience have led to the creation of PLATINO[®] nylon line, which, thanks to its exceptional characteristics in terms of strength and service life, is positioned as a product that is truly unique and unrivalled in the marketplace.

Single pack

	2 kg		~ 8 kg price per kg	
Thickness	Code	Price	Code	Price
1.3 mm	020949	€ 52.13	020977	€ 24.69
1.6 mm	020979	€ 52.13	020978	€ 24.69
2.0 mm	020557	€ 52.13	020969	€ 24.69
2.4 mm	020529	€ 52.13	020970	€ 24.69
2.7 mm	021020	€ 52.13	021021	€ 24.69
3.0 mm	020507	€ 52.13	020971	€ 24.69
3.3 mm	020509	€ 52.13	020972	€ 24.69
3.5 mm	020534	€ 52.13	020973	€ 24.69
4.0 mm	020698	€ 52.13	020974	€ 24.69

	2 kg		~ 8 kg price per kg	
Thickness	Code	Price	Code	Price
2.4 mm	020533	€ 52.13	020975	€ 24.69
2.7 mm	020512	€ 52.13	020513	€ 24.69
3.0 mm	020532	€ 52.13	020976	€ 24.69
3.3 mm	021046	€ 52.13	021047	€ 24.69
4.0 mm	020312	€ 52.13	020319	€ 24.69



2 kg



8 kg

	2 kg		~ 8 kg price per kg	
Thickness	Code	Price	Code	Price
2.7 mm	021566	€ 57.62	021569	€ 27.44
3.3 mm	021567	€ 57.62	021570	€ 27.44
4.0 mm	021568	€ 57.62	021571	€ 27.44

PLATINO® T300

300°C
resistant

Table of line conversion from kg to metres	
Spiral cross-sec.	
Ø mm	m/kg
3.0	138
3.3	122
4.0	76

Possible deviation of actual values from table per m/kg. = +/- 5%


ROUND cross-sec.




PLATINO® ecosilent

Table of line conversion from kg to metres	
Spiral cross-sec.	
Ø mm	m/kg
3.0	138
3.3	122
4.0	76

Possible deviation of actual values from table per m/kg. = +/- 5%


SPIRAL cross-sec.



Line with PLATINO quality. The unique spiral cross-section generates turbulence during rotary motion, thus minimising air friction, ensuring quieter operation and lower consumption.

Packs of 20 pcs

300°C
resistant



Single pack

300°C
resistant



	15 m		0.5 kg	
Thickness	Code	Price	Code	Price
2.5 mm	023184	€ 80.48	023187	€ 317.37
3.0 mm	023185	€ 100.60	023188	€ 317.37
3.5 mm	023186	€ 124.39	023189	€ 317.37

	2 kg		~ 8 kg price per kg	
Thickness	Code	Price	Code	Price
2.5 mm	021706	€ 56.71	021709	€ 26.53
3.0 mm	021707	€ 56.71	021710	€ 26.53
3.5 mm	021708	€ 56.71	021711	€ 26.53

The line for the professional who never settles for anything, but the best!

Equipped with an additional outer sheath to prevent sticking phenomena, resisting temperatures up to **300°C resistant**. The extra sheath also significantly enhances line durability and increases its resistance to abrasion, both features that are otherwise unmatched in the market.

Packs of 20 pcs
ecosilent



Single pack
ecosilent



	15 m		0.5 kg	
Thickness	Code	Price	Code	Price
3.0 mm	023190	€ 113.41	023193	€ 321.93
3.3 mm	023191	€ 123.47	023194	€ 321.93
4.0 mm	023192	€ 157.31	023195	€ 321.93

	2 kg		~ 8 kg price per kg	
Thickness	Code	Price	Code	Price
3.0 mm	022870	€ 57.62	022873	€ 27.44
3.3 mm	022871	€ 57.62	022874	€ 27.44
4.0 mm	022872	€ 57.62	022875	€ 27.44

Lubricants

Engine oils

API TC + Jaso FD

New generation 2T engine oil designed to respond to the needs of unleaded fuel. Thanks to technologically advanced formulations and the use of superior quality raw materials, ACTIVE oil guarantees that your engine will last for a long time and work correctly. Its characteristics mean that **mix life is 12 months**.

100% SYNTHETIC

1: 50 (2.0%)

100% ADDITIVATED

1: 50 (2.0%)



	100 ml 30 pieces		1 L 12 pieces		5 L 4 pieces	
	Code	Price	Code	Price	Code	Price
100% SYNTHETIC	023312	€ 101.00	022832	€ 228.00	023313	€ 343.00
ADDITIVATED SYNTHETIC	023314	€ 71.00	022833	€ 148.00	023315	€ 227.00

Chain oil



Plant-based oil (100%) for bar/chain lubrication.

This oil, made exclusively of virgin oils, guarantees total biodegradability.

The additives guarantee high wear resistance and maximum adhesion, protecting the oil pump while performing an effective anti-oxidant and anti-corrosive action.

ACTIVE oil is also proven to be extremely heat-resistant with an excellent viscosity index and low polymerisation index.

	2 L 12 pieces		5 L 4 pieces	
	Code	Price	Code	Price
CHAIN OIL	023310	€ 162.00	023311	€ 126.00



Grease for bevel gears

Molybdenum Disulphide grease of superior quality, wear-resistant and resistant to high temperatures. Its characteristics make it the ideal product for the toughest uses

Bottle 90 ml

Code	N° pieces/Pack	Price/Pack.
022638	20	€ 59.45



Spray grease, multigrease

High-quality, anti-wear product. Red spout: ideal for directing the product to where it's needed, without waste. Grey spout: included in the package, helps easily direct the grease into the ball-type grease nipple section.

Spray 200 ml

Code	N° pieces/Pack	Price/Pack
024836	12	€ 66.77

Threadlocker for coaxial couplings



Bottle 50 ml

Code	Price/Pack
021218	€ 23.78



Threadlocker

Bottle 50 ml

Strength	Code	Price/Pack
Medium	020525	€ 28.35
Strong	020311	€ 23.78

Regular use of Active lubricants helps you get the most out of your product. The engine oils are tested under different operating conditions to ensure the cleanest and most reliable engine.

Only Active lubricants are optimised for Active products. This ensures the continued, long-term performance of your engine. The plant-based chain oil is additivated so that it doesn't stick at low temperatures and contains no regenerated oils



Harnesses and PPE

Harnesses

Easy Model

Simple single-sided harness with quick release..



Model	Code	Price
Easy	020187	€ 18.95

Chaps



Code	Price
026461	€ 20.83

OLIVATOR Model



Model	Code	Price
Olivator	021220	€ 71.34

Safe Model

Professional harness with dual ergonomic shoulder strap and quick release

Model	Code	Price
Safe	020167	€ 39.34



Safety visors

Polycarbonate visor



Code	N° pieces	Price
023198	10	€ 95.13










Wire mesh visor



Code	N° pieces	Price
023199	10	€ 73.16



Discs and brushes

Model	Code	Price	ø Disc mm	ø Hole mm	ø Disc Thickness mm	
Steel Discs, double cutting edge, with 2-3-4 cutting teeth preferably usable on large surfaces covered only with grass that is particularly resistant to cutting or dried grass. Impact with solid obstacles would cause a sudden kickback						
	2 Teeth	020392	€ 6.40	255	25.4	1.6
		023482	€ 7.32	350	25.4	2.5
		020445	€ 7.32	300	25.4	1.8
	2 Teeth	020526	€ 6.57	300	25.4	3.0
	3 Teeth	020449	€ 11.89	255	25.4	3.0
		020396	€ 15.55	300	25.4	3.0
		020446	€ 22.86	350	25.4	4.0
	3 Teeth	020450	€ 15.55	300	20	3.0
		020451	€ 22.86	350	20	4.0
		020118	€ 7.32	255	25.4	1.4
	4 Teeth	020201	€ 7.32	255	25.4	1.4
Special shredding disc with 2 curved steel teeth, ideal for thinning and removing touch, matted weeds and brushwood in general. It is not recommended for cutting vegetation with a diameter greater than one centimetre, as the excessive length of the cutting edge would have a sudden impact with a relative kickback.						
	2 Curved Teeth	020115	€ 9.15	300	25.4	3.0
Cutting disc with 8 teeth suitable for cutting brushwood or weeds with a large stem diameter (0.5 cm) since the teeth are small, and when they come into contact with the more resistant parts, they do not create kickback. These discs are, therefore, more suitable for cutting smaller, more uneven surfaces or with tough grass.						
	8 Teeth	020202	€ 8.23	255	25.4	1.4
Circular disks with teeth in hard metal, suitable for trimmers with medium-high displacement, indicated for cutting bushes with woody branches with knots and young trunks that are, however, less than 1.5 cm in diameter. They are designed to cut the wood gradually and thus avoid dangerous kickback. The ideal working environment is close to the ground in the undergrowth of woodlands or in natural parks.						
	20 Teeth	020524	€ 15.55	250	25.4	2.0
	22 Teeth	020112	€ 10.06	200	25.4	1.6

Small iron brush



NEW

Code	Ø Disc	Pack	Price
026455	6"	30 pcs.	€ 638.70

Large iron brush



NEW

Code	Ø Disc	Pack	Price
026456	8"	20 pcs.	€ 463.00

Nylon brush



NEW

Code	Ø Disc	Pack	Price
026457	8"	20 pcs.	€ 390.80

Reciprocator

NEW

alternate disc motion



Inside...



Code	Ø Disc	Pack	Price
027430	230 mm*	1 pc.	€ 241.80

ACTIVE
MADE IN ITALY



Spark plugs and rev counters



Pack of 20 pcs

Model	Code	Price/Pack
AX 70	023307	€ 34.76
RAX 90	023308	€ 34.76
RX 80	023316	€ 34.76
MR 80	023901	€ 50.29

Active spark plug comparison

ACTIVE Model	NGK Model	CHAMPION Model	BOSH Model	Hex and Thread
AX 70	BPM6A	CJ7Y	WKA175T6 (WS7F)	19 - SHORT
RAX 90	BR2LM	RJ19LM	WR11E0	21 - SHORT
RX 80	BMR6A	RCJ8	ND	19 - SHORT
MR 80	CMR5H	ND	ND	16 - NORMAL

Digital Rev Counter

Multipurpose rev counter for single-cylinder 2T and 4T engines.
Tolerance ± 10 RPM
Battery life ± 20000 h



Code	Price
020887	€ 98.77

Tracks



Single piece

Code	Size
041224	180x60x34
041225	180x60x37

Price as per spare parts list



Tying line



BIO polymer



Polypropylene



Paper

Length	N° pieces	Code	Price	Code	Price	Code	Price
90 m	50	025625	€ 141.76	025626	€ 139.02	025627	€ 128.04
500 m	12	025631	€ 119.81	025632	€ 119.81	025633	€ 106.08

Dispenser 500 m



Code	Price
025634	€ 22.86

Polypropylene

ensures
durable ties

BIO polymer

degradability
9/10 months

Paper

excellent for **organic cultivation**, degrades
in 6/8 months



ACTIVE
MADE IN ITALY



ACTIVE
ACTIVE s.p.a.
ELECTRIC TYING
WRAP-X
14.4V
IPR 160003

WRAP-X

ACTIVE

ACTIVE



Frame the QrCode to watch a video of the Wrap-X in action

Advertising material



Displays

Accessory displays

Code	Price
022395	€ 233.00

Accessory and oil displays

Code	Price
022881	€ 277.00

Wall display Wall Unit

Code	Price
023673	€ 777.00





Olivator Display



Code	Price
PUBL123	€ 241.00

Pair of mower cutting height adjusters



Code	Price
PUBL143	€ 32.00

Tigercut Display



Code	Price
PUBL136	€ 94.00

Branded merchandise

Active Sail 280 cm



Code	Price
PUBL125	€ 32.00

Active Flag 180x80 cm



*Without support

Code	Price
PUBL99	€ 25.00

Ball-point pen



Code
PUBL42

USB - 8GB



Code
PUBL107

Stickers



20x12 cm

Code
PUBL23

Plastic carry-bag



Code
PUBL65

Active Water Bottle



Code
PUBL135

Notepad



Code
PUBL40

Clothing

Work



	Work overalls		Work smocks	
Size	Code	Price	Code	Price
M	PUBL15	€ 36.00	PUBL19	€ 25.50
L	PUBL16	€ 36.00	PUBL20	€ 25.50
XL	PUBL17	€ 36.00	PUBL21	€ 25.50
XXL	PUBL18	€ 36.00	PUBL22	€ 25.50

Sweatshirt



	Gilet		Sweatshirt	
Size	Code	Price	Code	Price
S	-	-	PUBL138	€ 54.00
M	PUBL43	€ 33.00	PUBL139	€ 54.00
L	PUBL44	€ 33.00	PUBL140	€ 54.00
XL	PUBL45	€ 33.00	PUBL141	€ 54.00
XXL	PUBL46	€ 33.00	PUBL142	€ 54.00

T-shirts & polos



	T-shirt		Polo shirt	
Size	Code	Price	Code	Price
S	-	-	PUBL119	€ 16.00
M	PUBL27	€ 10.10	PUBL118	€ 16.00
L	PUBL28	€ 10.10	PUBL61	€ 16.00
XL	PUBL29	€ 10.10	PUBL62	€ 16.00
XXL	PUBL30	€ 10.10	PUBL63	€ 16.00

Hat



Code	Price
PUBL108	€ 8.50

ACTIVE[®]
MADE IN ITALY



Notes

A series of horizontal dotted lines for writing notes.

Notes

A series of horizontal dotted lines for writing notes.

Notes

A series of horizontal dotted lines for writing notes.



ACTIVE S.R.L.
Machines designed,
built and assembled in Italy

This catalogue is effective from 1 April 2023. Active reserves the right to make changes.
This catalogue cancels and replaces all previous versions.
The data and illustrations in this catalogue do not constitute a basis for claims.
We reserve the right to change the technical features, form, equipment and price of
our products without prior notice.

www.active-srl.com



Active s.r.l.

Via Delmoncello, 12 - Zona Industriale
26037 San Giovanni in Croce
Cremona - ITALY

Tel. +39 0375 91742
Fax. +39 0375 91684

For orders:
ordini@active-srl.com

Export:
export@active-srl.com

www.active-srl.com